All Fields marked with * are mandatory.

Change Request #:	88
Assigned OGC Document #:	10-113
Name:	*Panagiotis (Peter) A. Vretanos
Organization:	*CubeWerx Inc.
Email:	*pvretano@cubewerx.com
Document Name/Version:	*Web Feature Service (WFS) Implementation Specification with XLinks / 1.1.0
OGC Project Document:	*04-094

If this is a revision of a previous submission and you have a Change Request Number, then check here:
☐

Enter the CR number here: [   ]

Enter the Revsion Number that you are revising here: [   ]

Title:⊙	*LockFeature description does not correlate with schema fragments.
Source:⊙	*Randall Meadows (randy [at] peakprogramming.com).
Work item code: ⊙	
Category:⊙	* D (Editorial modification) ⬍

Reason for change:⊙	* In section 11.2.1, the XML Schema fragment for defining the LockFeature request includes the attribute definition: Two paragraphs below that, the text states: \"This specification does not constrain how long a lock should be held if the expiry attribute is not specified.\"

What does the default value of the expiry attribute do, then, if not
\"constrain how long a lock should be held if the expiry attribute is
not specified\"?

Furthermore, in the examples in section 11.5, the sample responses
are shown to have a root element name of \"WFS_LockFeatureResponse\";
in reality, at least talking to a GeoServer (which I understand is the
reference implementation of this spec), the name is actually
\"wfs:LockFeatureResponse\".

Summary of change:

*

Amend the text to describe what the schema is saying. Update the
examples to use wfs:LocakFeatureResponse.

Consequences if not approved:

Clauses affected:

*

11.2.1, 11.5

Additional Documents affected:

Supporting Documentation:

Comments:

Status:

Verified ⬍

Disposition:

Reffered ⬍