## All Fields marked with \* are mandatory.

| Change Request<br>#:   | 322  |  |
|--|--|--|
| Assigned OGC<br>Document #:  | 13-110   |  |
| Name:  | *Pedro Goncalves   |  |
| Organization:  | *Terradue Srl  |  |
| Email:   | *pedro.goncalves@terradue.com  |  |
| Document<br>Name/Version:  | *Web Feature Service 2.0 Interface Standard (also ISO 19142) / 2.0   |  |
| OGC Project<br>Document:   | *09-025r1  |  |
| If this is a revision of a previous submission and you have a Change Request Number, then check here:<br>Enter the CR number here:<br>Enter the Revsion Number that you are revising here: |  |  |
|  |  |  |
| Title:   | * [WFS/FES SWG] Invalid MIME types for GML output format   |  |
| Source:  | *http://tools.ietf.org/html/rfc3023  |  |
| Work item code:  |  |  |
| Category:  | * F (Critical correction)  |  |
|  |  |  |
| Reason for   | *  |  |
| change:  | On this document we use as an example an invalid MIME type   |  |
|  | "text/xml; subtype=gml/3.2"  |  |
|  | This MIME type is invalid because the only optional parameter on text/xml is "charset" and that media type parameters cannot have "/" without quotes |  |
|  | <pre>http://www.ietf.org/rfc/rfc2045.txt http://tools.ietf.org/html/rfc3023#page-7</pre>   |  |
|  | It seems that the subtype parameter name originates from a quick reading of the bnf notation that states type "/" subtype *[";" parameter]           |  |

|                                      | parameter := attribute "=" value  |
|--------------------------------------|---|
|                                      | so we are using the name subtype twice here   |
|                                      | these examples gave origin to different interpretations and we now<br>start see the usage of this nonexistent subtype parameter to express<br>the notion of profiles<br>e.g. text/xml; subType=gml/3.1.1/profiles/gmlsf/1.0.0/0   |
| Summary of                           | *   |
| change:                              | The GML mime type registration is still an opportunity to cover these issues.<br>Is it possible at least to try to update the gml registration and  |
|                                      | include directly a "profile" parameter ?<br>(this in line with rfc6906 http://tools.ietf.org/html/rfc6906 )   |
|                                      | The GML registration email thread seems still "open to  |
|                                      | <pre>debate" http://www.ietf.org/mail-archive/web/ietf-types/current/msg01243.html and document stayed draft and we can still correct it http://tools.ietf.org/html/draft-portele-ogc-gml-mime-01</pre>   |
| Consequences if<br>not approved:     | Even if "text/xml; subtype=gml/3.2" appears only on a few examples (the text and tables define the "application/gml+xml; version=3.2" ) it is normal practice of WFS implementations and deployments to use the subtype parameter to express profiles.  |
|                                      | This generates different interpretations of this "subtype" that is<br>used sometimes to express the gml version while in others the gml<br>profile. We should avoid such misunderstandings but also at the same<br>time we have to respond to need of expressing the gml profile being<br>used. |
|                                      |   |
| Clauses affected:                    | *   |
|                                      | Examples  |
| Additional<br>Documents<br>affected: |   |
| Supporting<br>Documentation:         | <pre>http://www.ietf.org/rfc/rfc2045.txt http://tools.ietf.org/html/rfc3023#page-7 http://tools.ietf.org/html/rfc6906 https://portal.opengeospatial.org/files/?artifact_id=39292</pre>  |
| Comments:                            |   |
|                                      |   |

| Status:      | Assigned      |
|--------------|---------------|
| Assigned To: | WFS/FES SWG ‡ |
| Disposition: | Referred      |